


Section 2

Safety Equipment

Contents


Seat Belts	2.02
Mirrors	2.02
Harnesses	2.03
Lanyards/Accessories	2.05
Maintenance Safety Items	2.06
Ergonomic Products	2.07
Eye/Hearing/Breathing/Face Protection	2.07
Shoe Covers	2.11
 Miscellaneous	2.11
Safety Apparel	2.12
Hard Hats	2.14
Cooling Products	2.14
Wall Signs	2.15
Safety Related Accessories	2.15
Spill Cleanup Products	2.17
First Aid Kits	2.18

New Items:

Body Harness - p. 2.03
ExoFit x200 Safety Harness - p. 2.04
Smart Lanyard Kit - p. 2.05
Black Safety Vest - p. 2.12
Electrical Breaker Lockout Tagout Kit - p. 2.15

Note: 1910.178(q)(5) (1998) of the Occupational Safety and Health Act (OSHA) requires that "All parts of any such industrial truck requiring replacement shall be replaced only by parts equivalent as to safety with those used in the original design."

The installation onto a lift truck of non-certified electronic components may invalidate a truck's UL EE or LPS listing and could pose a safety risk. Customers with UL-listed lift trucks are solely responsible for ensuring compliance with UL for field modifications. The selection of non-OEM parts is made solely by the customer with the awareness that OEM parts are available. Crown Equipment Corporation is unaware of what testing and/or certification, if any, the non-OEM parts have undergone and disclaims all warranties and representations regarding any non-OEM part.




Seat Belts

Seat Belts

Part Number Orange	Part Number Black	Part Number w/ Interlock Switch	Type	Retractor Style	Belt Width	Belt Length	Dim. A	Dim. B	Includes U- shaped Bracket
122003-002	122003		Retractable, Anti-cinch	"Y"	2"	50"	4"	11.50"	X
122016-002	122016		Retractable, Anti-cinch	"Y"	2"	50"	4"	9.60"	
132257-002	132257		Retractable, Anti-cinch	"Z"	2"	54"	8.50"	10.50"	X
132252-002	132252	132252-003	Retractable, Anti-cinch	"Z"	2"	54"	8.50"	10.50"	
163519-002	163519-001	163519-003	Retractable, Anti-cinch	"X"	2"	51"	5.50"	10.50"	
300000	NA		Retractable	"Y"	2"	50"	4"	11.50"	X
163450-002	NA		Retractable, Anti-cinch	"X"	2"	51"	5.5"	9.7"	

⚠ WARNING: Cancer and reproductive harm - www.P65Warnings.ca.gov

Note: Mounting hardware included. Seat belts meet requirements of SAE J386 and FMVSS 302.



Mirrors

Part Number	Dimensions W x L (in)	Description
111481	4.44 x 5.75	Bolts on with 1/4"-20 UNC nut
094723	5.65 x 8.65	Bolts on with 1/4"-20 UNC nut
137670	7.32 x 12.52	Mounts onto .55" - .79" (14-20 mm) diameter rod
105035	6.00 x 23.00	Flat mirror, no mounting
105036	6.00 x 23.00	Includes mirror (P.N. 105035) and machined cover mount.
148613	4.50 x 8.00	Plastic mirror, bolts on with 3/8" UNC nut
151007	6.37 diameter	Round acrylic lens

⚠ WARNING: Cancer and reproductive harm - www.P65Warnings.ca.gov



Part Number - 380030-006

Mirror

4" x 7.875"

▼ OEM Reference

TY 58710-20540-71



Part Number - 380030-007

Mirror

3.875" x 6.25"

▼ OEM Reference

HM 7395

NI 96303-11H00



Part Number - 380030-044

Mirror

4.625" x 8"

▼ OEM Reference

HM 7390

NI 96303-6G000

KM 4966092

TY 58720-23320-71

KO 3EB-55-13571

TY 58720-26600-71



Part Number - 380030-168

Mirror

4.625" x 8"

▼ OEM Reference

TY 58720-23000-71



300130-001



300130-002

Anti-Blind Spot Dome Mirrors


These plastic mirrors give a complete 180° view, allowing the operator to give a quick safety check before traveling in reverse. Installs on any lift truck in seconds with either two-sided tape or a magnet.

Part Number - 300130-001

3M two-sided tape;
8.5" x 6.25" x 3"

Part Number - 300130-002

Magnet; 8.25" x 7.5" x 3"



Part Number - 305001

Mirror

5.5" x 7.5"

Hardware: 1/4" - 20 x 7/16" L

⚠ WARNING: Cancer - www.P65Warnings.ca.gov


Personal Fall Protection System Configurations (lbs.)

Fall Protection / Prevention Device	Operator Weight (lbs.)		
	<311 ¹	311-400 ¹	>400 ¹
Full Body Harness	X	X	X
Energy Absorber - max total length (6ft.)	X		
Self Retracting Lanyard		X	X ²
Maximum Arresting Force Permitted (lbs)	1800	1800	1800

Contact Truck Manufacturer

1) Truck Capacity shall be reduced by the operator(s) weight in excess of 220 lbs.
 2) Self Retracting Lanyard - shall be rated for the operator's weight. Contact Truck Manufacturer.

Note: ANSI standards B56.1 (4.17). Standards effective Feb. 23, 2013.



Full Body Harness with Mating Buckle

Part Number	Size
300001-004	X-Small
300001-001	Small/Medium
300001-003	XX-Large

- Lightweight nylon webbing
- Permits unrestricted movement
- Lightweight and durable
- Forged-steel sliding back D-ring
- Mating buckles on legs and shoulder straps


NEW!

IMAGE NOT AVAILABLE

Full Body Harness with Tongue Buckle

Part Number	Size
152899-001	Small/Medium
152899-002	Universal
152899-003	XX-Large

- Lightweight stretchable leg and shoulder webbing
- Tongue buckle leg strap
- Mating chest strap buckle
- Detachable shoulder pads
- Steel back D-ring



Full Body Harness with Tongue Buckle

Part Number	Size
300002-001	Small/Medium
300002-002	Large/X-Large
300002-003	XX-Large
300002-004	XXX-Large

- Conventional nylon webbing
- Friction buckles on chest and shoulder straps
- Tongue buckle leg straps
- Forged steel sliding back D-ring
- Permits unrestricted movement



Full Body Harness with Tongue Buckle


Part Number	Size
128775	Large/X-Large

- Friction buckle shoulder strap adjustment
- Tongue buckle leg strap adjustment
- Forged steel sliding back D-ring
- Mating chest strap buckle
- Sub pelvic strap
- Pull-free lanyard ring
- Non-stretch webbing

Part Number	Capacity (lbs.)	Sliding Back D-Ring	Side D-Rings	Shoulder Strap Buckles*	Leg Strap Buckles*	Chest Strap Buckle*	Sub-Pelvic Strap	Pull-Free Lanyard Rings	Stretchable Webbing	Manufacturer	Shoulder & Leg Padding Removable
300001-XXX	400	Yes	No	M	M	M	Yes	Yes	No	Titan	No
300002-XXX	400	Yes	No	M	T	M	Yes	Yes	No	Titan	No
128775	400	Yes	No	F	T	M	Yes	Yes	No	Miller	No
152899-XXX	400	Yes	No	F	T	M	Yes	Yes	Yes	Miller	No

*Key: F-Friction; M-Mating; T-Tongue

Harness Size Reference Chart



Fall Protection - Harnesses



AirCore Full Body Harness with Aluminum Hardware

- Corrosion resistant aluminum hardware
- Breathable, open-core padding technology
- Stretchable webbing provides flexibility and comfort
- Cam buckles on the shoulder straps for easy adjustments
- Universal (Large/X-Large)

Part Number	Side D-Rings	Chest Strap Buckle	Leg Strap Buckles	Lumbar Pad	Removeable Belt
300031-050	No	Quick-Connect	Tongue	No	No
300031-051	No	Quick-Connect	Quick-Connect	No	No
300031-052	Yes	Quick-Connect	Tongue	No	No
300031-053	Yes	Quick-Connect	Quick-Connect	No	No
300031-054	Yes	Quick-Connect	Tongue	Yes	Yes



AirCore Full Body Harness with Steel Hardware

- Breathable, open-core padding technology
- Stretchable webbing provides flexibility and comfort
- Cam buckles on the shoulder straps for easy adjustments
- Universal (Large/X-Large)

Part Number	Side D-Rings	Chest Strap Buckle	Leg Strap Buckles	Lumbar Pad	Removeable Belt
300031-010	No	Quick-Connect	Quick-Connect	No	No
300031-011	No	Quick-Connect	Tongue	No	No
300031-012	Yes	Quick-Connect	Quick-Connect	No	No
300031-013	Yes	Quick-Connect	Tongue	No	No
300031-014	Yes	Quick-Connect	Quick-Connect	Yes	Yes
300031-015	Yes	Quick-Connect	Tongue	Yes	Yes
300031-016	No	Mating Buckle	Tongue	No	No
300031-017	Yes	Mating Buckle	Tongue	Yes	Yes



Harness with Trauma Strap Universal/Large

Part Number 353601

No-tangle design. Includes trauma strap. Stand-up back D-ring. Tongue buckle leg straps. Repel™ webbing. Built-in lanyard keepers. Revolver™ vertical torso adjusters. Impact Indicator. Protected labels, equipped with i-Safe™.



ExoFit x200 Safety Harness

Part Number	Size
300007-001	S
300007-002	M
300007-003	L
300007-004	XL
300007-005	XXL

- Dual-locking quick connect buckles
- Automatic stand-up dorsal D-ring
- Personal SRL adapter
- Anti-slide dorsal D-ring pad
- Revolving torso adjusters
- Integrated suspension trauma relief straps




Trauma Strap

Part Number 353603

Suspension trauma safety strap. Allows user to stand in harness after a fall. Attaches to almost any harness. Fast and easy installation. Extremely compact and lightweight design. Simple and fast zipper style deployment. Continuous loop design. In-field re-settable design.

Harness Size Reference Chart



Fall Protection - Lanyards



Universal Cab Mount 8 ft. Fall Limiter Assembly

Part Number	Length (ft)	Weight Capacity (lb)
300052	8	310

Cab Mount

- Adjustable side brackets promotes a custom fit from 3.75" to 9.125"
- Quick and easy installation
- Non-protruding mount provides greater head room

Fall Limiter

- Capacity 310 lbs, can add 300020-001 shock absorbing pack for capacity of 400 lbs
- Quick-activating, high-strength stainless steel braking system

Fall Limiter (Only)

Part Number	Description	Size (ft)
300052-001	For use with Cab Mount	8

NEW!



170134

Smart Lanyard Kit

Part Number 170131

Fall protection system provides audible and visual alert of worker tie off status. Detects associate's presence as they move on and off picker platform. Works with metallic OSHA-rated dorsal D-Rings.

Kit includes: SRL Connector, Bracket Mount Cab, Alert Box, Light Strips and Alert Box Power Cable



Lanyard Self-Retracting

Part Number	Length (ft)	Weight Capacity (lb)	Color
153557	8	310	Red

Small, lightweight design. Quick-activating, high-strength stainless steel braking system - arrest free falls. Visual load indicator - indicates the unit must be removed from service.



Lanyard Self-Retracting

Part Number	Length (ft)	Weight Capacity (lb)	Color
353600	8	400	Red

Extremely compact and lightweight. High-impact nylon housing and abrasion-resistant webbing. Snap hook w/aluminum body and steel gate. Stainless steel ball bearing swivel.



Lanyard Energy-Absorbing

Part Number	Length (ft)	Weight Capacity (lb)
129935-001	6	310

Orange - locking snap hooks on each end. Add P.N. 300020-001 energy absorbing pack for capacity of 400 lbs.



Energy-Absorbing Pack

Part Number	Description
300020-001	Add to P.N. 153557 or 129935-001 for a weight limit capacity of 400 lbs.



Retractable Lanyard U-Bolt Swivel

Part Number H53622-531

6 ft. (1.8m) 3/4" (19mm) Dyneema® fiber and polyester web lifeline. Swiveling self-locking snap hook on lifeline. Extremely compact, lightweight design. Tough and impact resistant thermoplastic housing. Swiveling anchorage loop. Quick activating speed sensing brake system. High capacity external energy absorber and impact indicator. i-Safe™ equipped.



Turbo Lite - Personal Fall Limiter

Part Number	Length (ft)	Weight Capacity (lb)
300028	6	400

Unit Connector: Steel Twist-Lock Carabiner. Lanyard End Connector: ANSI Z359-2007 Compliant Locking Snap Hook. Extremely compact and lightweight, comparable to a shock-absorbing lanyard. Attaches directly to the back D-ring of a harness for increased mobility. High-impact nylon housing and abrasion-resistant webbing provide long service life. Integral swivel prevents lifeline from twisting.

Fall Protection - Accessories



Carabiners Turn Open Lock

Part Number	Gate
300064	3/4"
300006	1"

Maintenance Safety Items ^(^Not for operator use on lift truck)



Self-Retracting Lifeline[^]

Part Number	Length (ft)	Weight Capacity (lb)
300067	11	310
300058	20	310
300068	50	310
300069	66	310
300070	85	310

- Industry's lightest and most compact SRL.
- Unique speed-sensing brake reduces clearance requirements and limits fall arrest forces to 900 lbs or less.

[^]Note: Not for operator use on lift truck.



Lanyard Positioning[^]

Part Number	Length (ft)	Weight Capacity (lb)
300063	6	310

1" wide web built in wear indicator informs user when to replace self-locking snap hooks at both ends.

[^]Note: Not for operator use on lift truck.



3' Tie-off Adaptor[^]

Part Number	Length (ft)	Weight Capacity (lb)
300059	3	310

- 1 1/4" polyester strength member, 5000 lb minimum tensile strength.
- 3" wide polyester wear pad for added abrasion resistance.

[^]Note: Not for operator use on lift truck.



Tag Line[^]

Part Number	Length (ft)
300060	25

3/16" polypropylene rope with o-ring at end used to tie to end of self retracting lifelines to bring end down to the user.

[^]Note: Not for operator use on lift truck.



Storage Bag[^]

Part Number	Size (in)
300066	24W x 12H x 12D

Used to store and carry harnesses, lanyards, tag lines, etc.

[^]Note: Not for operator use on lift truck.

WARNING: Cancer and reproductive harm - www.P65Warnings.ca.gov



Carabiners Turn Open Lock

Part Number	Gate
300064	3/4"
300006	1"

▲ ExoFit XP Harness Accessories

Storage Pouch

Part Number	Description
300137	Belt loops on back of pouch for easy attachment to your belt and harness. Velcro closure and built-in D-rings to secure items. 18 oz. duck canvas with inner lining. Size: 7.5" x 11".



300137

WARNING: Cancer and reproductive harm - www.P65Warnings.ca.gov

Cell Phone Pouch

Part Number	Description
300062	Attaches to harness



300062



Ratchet Strap[^]

Part Number	Length (ft)
300136	6

- 1" wide strap
- Work load limit 500 lbs.
- Breaking strength 1,500 lbs.

[^]Note: Not for operator use on lift truck.

Ergonomic Products

Crown Branded Kneeling Pad *

Part Number	Description	Sales Unit
365472	1" thick; 7.5" x 15.5"	1/each

Lightweight EVA foam cushioning.
Built-in handle for easy storage.
Helps reduce knee and back strain.



Kneeling Pad *

Part Number	Description	Sales Unit
365472-006	1" thick; 14" x 21"	6/case

Made of Nitrile blend resilient foam.
Non-conductive and minimal water absorption.
Lightweight with built-in handle for easy storage.



Knee Pads*

Part Number	Sales Unit
365500	1 pair

Smooth hard cap attached with nickel plated grommets easily slides over various surfaces.
Durable 600D Polyester fabric. 15mm EVA foam padding. Anti-bacterial treatment. Injection Plastic button/clip strap connectors provide easy adjustment and secure fit. Black. One size fits most.



Back Support *

Part Number	Sales Unit	Size
365501-006	1 ea	Small
365501-001	1 ea	Medium
365501-002	1 ea	Large
365501-003	1 ea	X-Large
365501-004	1 ea	2XL
365501-005	1 ea	3XL
365501-007	1 ea	4XL
365501-008	1 ea	5XL

Adjustable suspenders with smooth glide adjustable clips. Support elastic suspenders are extra wide for durability. Abdominal support panels are tapered for better fit. Black.



Eye Protection

Continued >

Safety Glasses*

Part Number	Sales Unit
365285-012	Case of 12



Crown logo branded - printed on right lens. Soft integrated nose piece. Lightweight and 9.75 base curve lens provides excellent side protection. Soft dual injected rubber temple tips provide non-slip comfort. Scratch resistant polycarbonate lens provides 99% UVA/B/C protection. Conforms with ANSI Z87.1.



Safety Glasses*

Part Number	Sales Unit
365254-012	Case of 12



OTG basic eyewear protection for visitors. Economical. Clear frame, clear lens, fits over glasses. ANSI approved Z87.1.

Safety Glasses*

Part Number	Sales Unit
365252-012	Case of 12



Wraparound Hi-Vis Green design for maximum field of vision. Padded nose bridge. Adjustable temple arm. Hi-Vis Green retainer cord. Conforms with ANSI Z87.1.

OTG Safety Glasses*

Part Number	Sales Unit
365286-012	Case of 12



Crown logo - printed on right side shield. One piece lightweight safety glass lens. Adjustable temples and extended brow guard. Over glasses design. Polycarbonate impact resistant lens with 99.9% UVA/UVB protection. Conforms with ANSI Z87.1 + standards.



Safety Glasses*

Part Number	Description	Sales Unit
365485-012	Black frame; Amber lens	Case of 12



Soft rubber temples with flared ends. Neck cord included. Coated protective lens - provides 99.9% UVA/UVB protection. Conforms with ANSI Z87.1+

Safety Glasses*

Part Number	Sales Unit
365250-012	Case of 12



Economical protection. Full coverage. Frost color frame, clear lens. Wraparound style, lightweight. Conforms with ANSI Z87.1.

Safety Glasses*

Part Number	Sales Unit
365251-012	Case of 12



Soft padding on temple arm tip and padded nose bridge. Black frame, clear lens. Adjustable temple arm. Wraparound style, durable frame. Conforms with ANSI Z87.1.

Safety Glasses

Part Number	Description
363200-008	Safety Glasses - Amber Lens with Amber Temples
363200-010	Safety Glasses - Amber Lens with Black Temples



*Available only to customers in USA

Eye Protection



Premium Anti-fog Safety Glasses*

Part Number	Sales Unit
365287-012	Case of 12

H2X anti-fog protection from fogging in humid environments. Scratch resistant. Dielectric. Rubber temple tips and nose piece. Single wraparound lens. Conforms with ANSI Z87.1+, CAN/CSA Z94.3 standards.

ANTI-FOG



Standard Anti-fog Safety Glasses

Part Number	Sales Unit
365279-012	Case of 12

Anti-fog coating for protection from fogging in humid environments. Scratch resistant. Earplug retaining technology. Hollowed out, lightweight frame for maximum air flow. Byaonet temple for greater comfort. Conforms with ANSI Z87, CAN/CSA Z94.3 standards.

ANTI-FOG



Goggles*

Part Number	Sales Unit
365253-012	Case of 12

For complete eye protection where splash or heavy particles are in the air. Full face flange allows for comfort while the polycarbonate lens give full protection. With Anti-Fog lenses and indirect ventilation. Conforms with ANSI Z87 safety standard.

ANTI-FOG



+1.5 Reading Lens*

Part Number	Sales Unit
365256	Single

Strategic placement of lens insert is out of user's direct line of vision. 100% Polycarbonate scratch resistant lenses. Nose buds secure the glass & prevent slipping, adjustable temple arm. Provides 99% protection from harmful UL UV-A & UV-B rays. Exceeds ANSI Z87.1 high impact requirements & CE EN166 certified.

BIFOCAL



I-Force Goggles*

Part Number	Sales Unit
365257	Single

Sporty, lightweight design. Quick release interchangeable temples & elastic strap. Anti-fog, clear lens. Exceeds ANSI/ISEA Z87.1 standards.

ANTI-FOG



Pre-Moistened Towelettes*

Part Number	Sales Unit
365255	10 boxes/case

5" x 8", 100 to a box. NOT for use on coated lenses. For glasses and computer screens. Individual packages for convenience and portability.

Eye Wash Products



16 Gallon Eye Wash Station*

Part Number	Sales Unit
365466	1 kit

Size: 20.5" length, 18" width, 20.5" height. 15 minute flow, required by ANSI Z358.1-2009. Includes steel wall bracket, 2 oz. sterile water solution, and test log and drainage hose. Drain and refill every 4 months with 2 oz. solution, part number 365474.



Water Additive*

Part Number	Sales Unit
365474	8 oz. bottle/12 case

Add to water for 16 gallon eye wash station to eliminate contamination from stagnant water. 8 oz. per 16 gallon refill.



Replacement Bottle of Eye Wash*

Part Number	Sales Unit
365469-001	One 16 oz. bottle

Sterile eye wash. Can be used alone or with 365468 eyewash station.



Eye Wash Station*

Part Number	Sales Unit
365468	1 kit

Two bottle wall-mounted eye wash station. Includes two 16 oz bottles of sterile eye wash. Easily mounts to any wall.

*Available only to customers in USA

Hearing Protection



Ear Plugs*

Part Number	Sales Unit
365280-200	200 pairs/box

NRR 33. Officially licensed ear plugs of NASCAR®. Tapered for easy insertion in any ear canal. Different colors in every package. Individually wrapped. 1 pair per bag.



Ear Muffs*

Part Number	Sales Unit
365282	Single

Low profile design. Soft foam ear cups. Adjustable to fit all sizes. Fold-away padded headband. Meets ANSI S3.19 requirements, CE EN 352-2-2002 certification, NRR 34.

▲ **WARNING:** Cancer and reproductive harm - www.P65Warnings.ca.gov



Moldex Sparkplugs® Plugstation® Dispenser*

Part Number	Description	Sales Unit
365493-250-02	Sparkplugs®	250 pairs/station 2/case
365494-500-04	Sparkplugs®	500 pairs/station 4/case

365493-250-02



NRR 33. Chute delivers plug directly into hand. Each dispenser is completely sealed. Fully disposable when empty and recyclable.

365494-500-04



Ear Muffs for Hard Hat*

Part Number	Sales Unit
365283	Single

Low profile design. Soft foam ear cups. Adjustable to fit all sizes. Fold-away padded headband. Meets ANSI S3.19 requirements, CE EN 352-2-2002 certification, NRR 34.

▲ **WARNING:** Cancer - www.P65Warnings.ca.gov



Moldex Glide™ Reusable Ear Plugs*

Part Number	Sales Unit
365495-100	50/box

NRR 33. Unique multi-curved stem rotates for a custom fit. Large handle on curved stem for easy insertion and removal. Cord can be attached at any desired length. Can be washed and reused. Green.



Electronic Ear Muff - Sport

Part Number	Sales Unit
300148	Single

NRR 22 dB. Canada Class B. Built-in directional microphones amplify range commands and other ambient sounds to a safe 82dB. Impact Sport actively listens and automatically compresses amplification when ambient impact sound reaches 82dB, and passively blocks out noise at 22dB. Amplifies low-level sound up to 4 times. Low energy-consuming 4-hour automatic shut-off. Connects to iPod, MP3 and other devices. Patented Air-Flow Control Technology. Camouflage. Soft headband. Folds for convenient storage. Protection against harmful noise.



Ear Plugs*

Part Number	Sales Unit
365281-100	100/box

NRR 33. Officially licensed ear plugs of NASCAR®. Tapered for easy insertion in any ear canal. Different colors in every package. Individually wrapped. 1 pair per bag. With cord.



Electronic Ear Muff - Pro

Part Number	Sales Unit
300149	Single

NRR 30 dB. Canada Class A(L). Strategically placed directional stereo microphones to amplify ambient sounds, including alarms/warning signals, and conversations while suppressing (not muting) loud, impact noises down to a safe level of 82dB. Sound amplification allows wearers to hear important communication - alarms/warning signals, co-workers' voices. Quick-Click height adjustment remains fixed during wear. More comfortable padded headband. All-in-one up and down, on/off and volume control. Snap-in ear cushions make replacement quick. Features 3.5mm audio jack and cable for connection to personal listening devices.



Ear Plugs - Multiple Use

Part Number	Sales Unit
300152-100	100 pairs/box

Soft no roll-down foam with flexible stem and dimpled tip reduces hygiene concerns and collapses to be easily inserted into the ear. The ergonomically contoured paddle fits naturally between the finger and thumb, even while wearing work gloves. Reusable, uncorded. Convenient carrying case. Noise reduction rating of 28; orange; one size fits most.

*Available only to customers in USA

Breathing Protection



Moldex 9000 Reusable Full-Face Respirator*

Part Number	Sales Unit
365274	Single

Provides lung and face protection. Lightweight. Strap buckles are securely molded to face piece for rugged use. Coated lens for scratch resistance. Size: Large. NIOSH approved.



KN95 Mask*

Part Number	Sales Unit
365295-050	50/box

Filters up to 95% of particles with 5-layer construction. Non-medical, ear loop style with adjustable nose clip. Fits comfortably to the face and provides respiratory protection against particles. Regulated by the Chinese government under GB2626-2006.



Protective Sheets for Face Shield*

Part Number	Sales Unit
365274-001	15 sheets/box

For use on full-face respirator (P.N. 365274) to protect face piece.



Disposable Mask

Part Number	Sales Unit
365294	50/box

Unique 4-fold design forms a better cone shape to provide maximum coverage. 3-ply construction; ear loop style. Masks are 100% latex and fiber glass free. Inner layer is ultra soft and comfortable on the skin. Metal free plastic nose bridge conforms to wearer's face for a comfortable fit. Meets ASTM F2100-11 requirements as Performance Level 2 Barrier medical face mask. Color blue.



Moldex N95 Particulate Pre-Filter*

Part Number	Sales Unit
365275	5 pair/pack

Use with vapor cartridge or stand alone. NIOSH certified.



Respirator Mask w/Exhale Valve*

Part Number	Sales Unit
365271-010-01	10/box - 1 box

95% effective against particulate aerosols free of oils. Adjustable metal nose piece and inner foam provide a custom seal. Yellow color-coded straps. With exhale valve. Meets NIOSH 24 CFR Part 84 Standards.



Reusable Mask

Part Number	Sales Unit
365297-005	5/pack

3-ply, 100% machine washable cotton jersey; 100% cotton fabric touching skin; three evenly spaced pleats on each side. 3.5 in height at side, 5 in. height at center front, 7 in width. Comfortable elastic ear loops help hold the mask in place. Color black.



Moldex® 2300 N95 Particulate Respirator*

Part Number	Sales Unit
365277-010-01	10/box

Dura-Mesh shell for durability. Protects against fine, dry particles. Softspun inner liner for comfort; molded nose bridge. Blue/white. Size: medium/large. NIOSH approved. With exhale valve.



Moldex 7000 Reusable Half-Mask Respirator

Part Number	Sales Unit	
365273	Large	Single
365273-001	Medium	Single

Totally adjustable. Lightweight. Fits under welding helmets & with safety glasses. NIOSH approved. Includes face piece, 2 organic vapor cartridges, retainer and 2 prefilters.



Nuisance Mask*

Part Number	Sales Unit
365272-050-01	50/box - 1 box

For dirt, dust and nuisance cleaning. Single strap and metal nose piece. Not NIOSH approved. 50/box.



Organic Vapor Cartridges*

Part Number	Sales Unit
365276	1 pair/pack

Protection against organic vapors. Use with half-mask respirator (P.N. 365273) or full-face respirator (P.N. 365274).



Particulate Respirator*

Part Number	Sales Unit
365289-020-01	20/box

N95 approved filtering particulate respirator. Adjustable nose clip reduces potential for eyewear fogging and helps ensure a better seal and fit. Two straps help provide a secure fit.



Respirator Mask*

Part Number	Sales Unit
365270-020-01	20/box - 1 box

95% effective against particulate aerosols free of oils. Adjustable metal nose piece and inner foam provide a custom seal. Yellow color-coded straps. Meets NIOSH 24 CFR Part 84 Standards.



Disposable Respirator*

Part Number	Sales Unit	
365288-001	Medium	Single
365288-002	Large	Single

Organic Vapor and P95 respiratory protection. Maintenance free; OV cartridges permanently attached and individually packed. Includes a bonus hygiene guard and shape retainer insert. Applications include paint spray applications, including oil based paints.

*Available only to customers in USA

Face Protection

Face Mask*



Part Number	Sales Unit
365258	Single

Full face protection, fits over prescription glasses. Removable shield. Exceeds ANSI Z87.1 high-impact requirements. CE EN166 certified. Exceeds CAN/CSA Z94.3-07 standards.

Universal Hard Hat Adapter*



Part Number	Sales Unit
365262	Single

For use with face shields.

Disposable Tear-Off Visor*



Part Number	Sales Unit
365259	6/pack

Full face protection.

Polyethylene Face Shield (only)*



Part Number	Sales Unit
365263	Single

8" x 15" x .040" thick. Meets ANSI Z87.1 requirements; CSA Z94.1-05. Headgear is separate.

Headgear for Face Shield*



Part Number	Sales Unit
365261	Single

Constructed from durable nylon. Universal pegs will accommodate a wide variety of face shields. Ratchet style adjustment for easy fit. Pivoting action allows user to lift face shield while wearing.

Polycarbonate Face Shield (only)*



Part Number	Sales Unit
365264	Single

8" x 15" x .040" thick. Meets ANSI Z87.1 requirements; CSA Z94.1-05. Headgear is separate.

Face Shield



Part Number	Sales Unit
323016	Single

3M Ratchet Headgear with Faceshield. Features polycarbonate construction to provide high clarity. Ideal for heavy-duty impact and heat-resistance applications.

Shoe Covers

Premium Shoe Covers*



Part Number	Description
365301-240	60 pair/box; 2 boxes/case. Polypropylene coated with polyethylene for extreme durability. Non-slip texture offers support and grip on any floor surface. Wide elastic opening. X-Large size. Non-linting; latex and silicone free. Durable dispensing box.

Shoe Covers*



Part Number	Description
365301-300	Non-skid bottom. Polypropylene. Elastic around ankles. X-Large. 150 pairs.

*Available only to customers in USA

Miscellaneous

NEW!

One Source Lanyard



Part Number	Description
352001	17" smooth nylon lanyard comes with 3 attachments: O-ring, metal swivel hook, and accessory loop.



Breakaway Safety Vests

Size	Crown Branded Part Number
Small	365314-000-01-C
Medium	365314-001-01-C
Large	365314-002-01-C
X-Large	365314-003-01-C
2XL	365314-004-01-C
3XL	365314-005-01-C
4XL	365314-006-01-C
5XL	365314-007-01-C



100% polyester mesh, hi-vis green. Sold individually. 5 point breakaway, shoulders, sides and front closure. Closure: velcro. 2" silver tape reflective material - 1 horizontal stripe. Pockets: 1 lower right inside, 1 upper left outside. 3rd party certified, meets ANSI/ISEA 107-2015, Class 2 Type R standards.



Zippered Safety Vests

Size	Hi-Vis Orange Part Number	Hi-Vis Green Part Number
Medium	365317-001-01	365319-001-01
Large	365317-002-01	365319-002-01
X-Large	365317-003-01	365319-003-01
2XL	365317-004-01	365319-004-01
3XL	365317-005-01	365319-005-01
4XL	365317-006-01	365319-006-01
5XL	365317-007-01	365319-007-01

Economy Class 2 Safety Vest with Two-Tone Trim - Zipper. 100% Polyester Mesh. Zipper Closure. Crown Embroidered Logo. Pockets: 1 Upper Left Front, 1 Lower Right Inside, Zipper closure. 2" silver reflective material. 25 wash max. Meets ANSI/ISEA 107-2015 standards, Class 2 Type R standards.



Breakaway Safety Vests*

Size	Orange Mesh Part Number	Orange Solid Part Number
	Small	365312-000-01
Medium	365312-001-01	365313-001-01
Large	365312-002-01	365313-002-01
X-Large	365312-003-01	365313-003-01
2XL	365312-004-01	365313-004-01
3XL	365312-005-01	365313-005-01
4XL	365312-006-01	365313-006-01
5XL	365312-007-01	365313-007-01



Size	Green Mesh Part Number	Green Solid Part Number
	Small	365314-000-01
Medium	365314-001-01	365315-001-01
Large	365314-002-01	365315-002-01
X-Large	365314-003-01	365315-003-01
2XL	365314-004-01	365315-004-01
3XL	365314-005-01	365315-005-01
4XL	365314-006-01	365315-006-01
5XL	365314-007-01	365315-007-01

100% polyester mesh/solid, hi-vis orange/green. Sold individually. 5 point breakaway, shoulders, sides and front closure. Closure: velcro. 2" silver tape reflective material - 1 horizontal stripe. Pockets: 1 upper and lower left inside, 1 lower right outside. 3rd party certified, meets ANSI/ISEA 107-2015, Class 2 Type R standards.



Zippered Safety Vests*

Size	Hi-Vis Orange Part Number	Hi-Vis Green Part Number
Medium	365316-001-01	365318-001-01
Large	365316-002-01	365318-002-01
X-Large	365316-003-01	365318-003-01
2XL	365316-004-01	365318-004-01
3XL	365316-005-01	365318-005-01
4XL	365316-006-01	365318-006-01
5XL	365316-007-01	365318-007-01

100% polyester mesh. Class 2 safety vests with two-tone trim. Zipper closure. Pockets: 1 upper left front, 1 lower right inside. 2" silver reflective material. 25 wash max. Meets ANSI/ISEA 107-2015, Class 2 Type R standards.



Safety Vests*

Size	Solid Part Number	Mesh Part Number
	Medium	365311-001-01
Large	365311-002-01	365310-002-01
X-Large	365311-003-01	365310-003-01
2XL	365311-004-01	365310-004-01
3XL	365311-005-01	365310-005-01
4XL	365311-006-01	365310-006-01

Sold individually. Velcro closure, Solid - 2 hip and 1 chest pocket, Mesh - no pockets. Meets ANSI 107-2015 Class 2 standards. Allows greater visibility with orange stripe and reflective tape.



Black Zippered Safety Vests

Size	Black Mesh* Part Number	Black Mesh Crown Branded Part Number
	Small	365309-000-01
Medium	365309-001-01	365309-001-01-C
Large	365309-002-01	365309-002-01-C
X-Large	365309-003-01	365309-003-01-C
2XL	365309-004-01	365309-004-01-C
3XL	365309-005-01	365309-005-01-C
4XL	365309-006-01	365309-006-01-C
5XL	365309-007-01	365309-007-01-C

100% polyester mesh. Class 1 safety vests with two-tone trim. Zipper closure. Pockets: 1 upper left front, 1 lower right inside. 2" silver reflective material. 25 wash max. Meets ANSI/ISEA 107-2015, Class 1 Type O standards.

⚠ WARNING: Cancer and reproductive harm - www.P65Warnings.ca.gov



Bouffant Caps*

Part Number	Description
365304	21" white bouffant cap required to wear in food and medical facilities. Polypropylene. 500/case.

*Available only to customers in USA

Safety Apparel

White Protection Coveralls - Zipper Front*



Part Number	Size	Sales Unit
365302-001-12	Medium	12 per case
365302-002-12	Large	12 per case
365302-003-12	X-Large	12 per case
365302-004-12	2XL	12 per case
365302-005-12	3XL	12 per case

Liquid & particulate protection, similar to TYVEK A40. Breathable, elastic wrists and ankles, elastic back for improved fit. Microporous disposable coverall zipper front. Durable and abrasion resistant. Excellent for painting, pressure washing, general maintenance.

Knit Cap with LED Light*



Part Number	Color
365305-001	Black
365305-002	Yellow
365305-003	Orange

100% acrylic knit. Rechargeable LED light can be charged with USB port. Light functions include High, Medium and Flash 150 lumens. Meets CE and RoHS standards.

Paint Suit*



Part Number	Size
365303-001-01	Medium
365303-002-01	Large
365303-003-01	X-Large
365303-004-01	2XL
365303-005-01	3XL

Gray. 65/35 poly/cotton. Zipper front, hood, adjustable velcro wrist closures. Elastic back and action seat for ease of movement. Machine washable.

Welding Jacket



Part Number	Size
323017-000-01	Small
323017-001-01	Medium
323017-002-01	Large
323017-003-01	X-Large
323017-004-01	2XL
323017-005-01	3XL
323017-006-01	4XL
323017-007-01	5XL
323017-008-01	6XL

Cool, comfortable and washable, this jacket offers protection from sparks in light welding applications. 30" length. Weldlife™ flame retardant 100% cotton fabric — anti-static, rot and mildew resistant. Relaxed fit design offers comfort for all-day wearability. Adjustable snap wrist, and large inside pocket. Leather reinforced black anodized non-reflective snaps.

Blue Protection Coveralls - Zipper Front



Part Number	Size	Sales Unit
365300-002-12	Large	12 per case
365300-003-12	X-Large	12 per case
365300-004-12	2XL	12 per case
365300-005-12	3XL	12 per case

Provides protection against dry particulates and light liquid splash. Breathable, elastic wrists and ankles, zipper flap. Seamless front. Durable and abrasion resistant. Meets ANSI/ISES 101-1996 sizing standard.

Welding Gloves*



Part Number	Sales Unit	Size
365473	1 pair	One Size

Economy welding glove. 13" length. Fully cotton lined and welted cowhide.

Vinyl Apron*



Part Number	Sales Unit
365278-012	12 per case

Economical, 6 mil, blue. Resistant to solvents, chemicals, oil and grease. Provides tear, abrasion and puncture resistance.

⚠️ **WARNING:** Cancer and reproductive harm - www.P65Warnings.ca.gov

Insulating Gloves – Class 0*

Part Number	Sales Unit	Size
365486-008	1 pair	8 / M
365486-009	1 pair	9 / L
365486-010	1 pair	10 / XL
365486-011	1 pair	11 / XXL



Class 0 insulating rubber gloves. Orange. Type 1. 1000v ac capacity.

⚠️ **WARNING:** Cancer - www.P65Warnings.ca.gov

Apron*



Part Number	Size
365260-001	35" x 45"

Expanded PVC coated material with fabric backing. Use with batteries. Waterproof and abrasion resistant.

Chemical Resistant PVC Gloves*

Part Number	Sales Unit	Length/Finish
365487-012	12 pack	12" Rough
365488-012	12 pack	12" Smooth
365489-012	12 pack	18" Smooth



Chemically resistant to oil, grease, acids and solvents. Provides moderate abrasion resistance. Black.

*Available only to customers in USA

Hard Hats

Hard Hat*

Part Number	Color
365470-001	Blue
365470-002	High Vis Green
365470-003	Red
365470-004	White
365470-005	Yellow
365470-006	Orange



- High density polyethylene construction
- 4 point ratchet suspension
- Meets ANSI Z89.1-2014 standard, type 1, class C, G & E



Note: Universal hard hat adapter (P.N. 365262) is listed on page 2.11 and attachable ear muffs (P.N. 365283) on page 2.09.



Hard Hat

Part Number	Color	Brand
365475	Grey	Crown

- Four position harness points allows moving the harness forward, backward, up or down.
- Made with ABS material, strong yet ultralight weight.
- Easy to grasp triangular knob adjusts from 6.5 to 8 inch hat size.
- Low profile design offers a low center of gravity for better balance.
- Meets ANSI Z89.1-2009 Standards, Type 1, Class C, G, and E & CSA Z94.1-05.

Cooling Products



Hard Hat Cooling Pad*

Part Number	Size	Sales Unit
365499-025	One Size Fits All	25/box

Evaporative cooling material provides hours of heat stress relief. Fits on the suspension of a hard hat with hook and loop closures. To activate, soak in cool water for 2-5 minutes. Reuseable, just reactivate. Blue.



Cooling Towel*

Part Number	Dimensions	Sales Unit
365496-012	26" x 17"	10/box

Made with advanced technology that accelerates the evaporative cooling process. Soak the towel in water for 2-3 minutes and experience cooling relief for up to 5 hours, depending on humidity levels. Anti-Microbial treated to help prevent mold build-up and unwanted smells. Safe and reusable; reusable packaging. Blue.



Cooling Headband*

Part Number	Color	Size	Sales Unit
365498-012	Blue	One Size Fits All	1 dozen
365497-012	Lime Green	One Size Fits All	1 dozen

Made with advanced technology that accelerates the evaporative cooling process. Soak in water for 2-3 minutes and experience cooling relief for up to 5 hours, depending on humidity levels. Anti-Microbial treated to help prevent mold build-up and unwanted smells. Safe and reusable. Patent pending stretch-fit design allows for better blood circulation and comfort. Heat stress safety management.

*Available only to customers in USA

Wall Signs



323030



323031



323032

Wall Signs

Part Number	Description
323030	Social Distance 6 ft.
323031	Wear Face Mask
323032	Safety First - Social Distance

- Size 10"x14"
- Rounded corners
- 3/16" mounting holes
- Impact resistant with slight flexibility
- .055" thick polyethylene

Safety Related Accessories

Continued ▶



Lockout Tag Out Kit (single connector only)

Part Number

300037 (includes 10 lockout tags)

(Dual language tags English \ Spanish)

Fits - SB and SBX connectors

Fits - 50, 175 and 350 AMP connectors

Individual Items


300037-002 (box only)

300037-003 (lock only)

Accessories:

Tag Refill Kit (Qty. 25 pc)

P.N. 300037-025



Electrical Breaker Lockout Tagout Kit

Part Number

365009

Kit contains:

- (1) 1" Steel Lockout Hasp
- (1) 480/600V and (2)120/277V Clamp-on Circuit Breaker Lockouts
- (1) Nylon Safety Lockout Padlock
- (5) Lockout Tags and (5) Zip Ties
- (1) Lockout Pouch with belt loop on the back



⚠️ **WARNING:** Cancer and reproductive harm - www.P65Warnings.ca.gov



Note: Lock Not Included


Lock Out Box (dual connectors)

Part Number

300420

Fits - SB, SBX, and DIN connectors

Fits - 50, 175 and 350 AMP connectors



Lock Out

Lock Together

Lockout Cinch Sack

Part Number

365006

Electrical lockout device designed for oversized and hard-to-reach connections. Accommodate up to 6 padlocks. Fits hanging controls, oversized levers and plugs. Size: 7" x 17". Color: Red.



Barricade/Caution Tape*

Part Number Sales Unit

365265

Single

Weather resistant. Compliant under OSHA standards, 1910-144(A) physical standards. 3" x 1000', 3.0 mil.



⚠️ **WARNING:** Cancer and reproductive harm - www.P65Warnings.ca.gov

*Available only to customers in USA

Safety Related Accessories



Collapsible Safety Cone*

Part Number	Height
365268	28"

Orange with 6" and 4" reflective collars, collapses to less than 3" for stowing and transporting, vinyl carrying case. Meets MUTCD specifications. Optional flashing hazard light - P.N. 365269.



Flashing Cone Light*

Part Number
365269

2" safety light that will fit collapsible cone - P.N. 365268. Provides 130 flashes per minute. Uses 2 AA batteries.



Safety/Traffic Cones*

Part Number	Height
365266-001	18"
365266-002	28"

Tough all-weather orange cones. 100% PVC. Meets federal MUTCD & NCHRP-350 specifications.



Safety/Traffic Cone*

Part Number	Color	Height
365266-003	Orange	28"

Tough all-weather cone. 100% PVC. Meets federal MUTCD & NCHRP-350 specifications. 4" & 6" reflective collars.

*Available only to customers in USA



Programmable Security Lock

This keypad offers an enhanced level of security to deter unauthorized or untrained personnel from operating the vehicle. A four digit Personal Identification Number can be assigned for up to 200 operators that use the vehicle. Supervisor can "lockout" vehicle through keypad and can program keypad to turn vehicle "OFF" automatically if vehicle is idle for prolonged periods.

Power input is 15 amps externally fused, 48 volts maximum. Power output is 10 amps maximum. Operating temperature range is -40 to +85° Celsius.

Part Number	Used on	Kit Instructions
130863-001	Wave	
130863-002	RC3, FC4, Turret, SP48, SP3000	
130863-003	WP2300	PF26004
130863-003	WP3000	PF26265

Kit Instructions for Programming

PF11830	Dealer Level
PF11831	Manager Level
PF11832	Supervisor Level



Fire Extinguisher

Part Number
079528 (includes bracket)

2.5 lb. multi-purpose ABC dry chemical with aluminum valve

Accessory:
Mounting Bracket (P.N. 379528)

Note: See Work Assist section for other kits.



Fire Extinguisher

Part Number
127237 (includes bracket/two straps)

2.5 lb. multi-purpose ABC dry chemical with aluminum valve

Accessory:
Mounting Bracket (2 strap)
(P.N. 379528-002)

Note: See Work Assist section for other kits.



Spill Absorbent Products

Be prepared for a variety of accidental spills



Acid Spill Absorber and Neutralizer

Part Number	Sales Unit	Absorbs
300421	25 lbs.	6 gallons of electrolyte
300421-030	160 lbs.	40 gallons of electrolyte

- Specifically formulated to absorb and neutralize battery acid, with color change to show when acid is neutralized and safe for disposal
- Ideal for use in acid drip pans
- Safe and non-hazardous
- Sweeps up clean and dry, is not dusty like kitty litter/clay
- Durable easy to store container with resealable lid
- Instructions and MSDS included See OSHA 1926.441 & 1910.173

Cold Form: Uses pre-formed cotton fibers. These cotton fibers, once processed, provide a high degree of strength, durability & absorbency. Requires less energy to produce, earth-friendly/green, made from renewable & recycled resources. Poly backed pads prevent leaks from penetrating to surface below.



Pads*

Part Number	Sales Unit
365321-100	Gray, 15" x 18", 100/case




Earth friendly/green. Large liquid holding capacity. Quick absorbency. Long product life. Great for fast cleanup. Absorbs oil, coolants, solvents and water.



QuiKleen Absorbent Powder

Part Number	Sales Unit
363201	Case (4) Easy Pour Jugs
363205	5 Gallon Pail

QuiKleen Absorbent Powder is an instant response to your most frequent liquid spill needs. It is an environmentally safe product that is landfill acceptable and EPA certified. Absorbs gas, oil, coolants, water, eggs, syrups, paint, blood, vomit, and many solvents. (DO NOT USE IN CLEANUP OF HYDROFLUORIC ACID.)



Pads & Rolls*

Part Number	Sales Unit
365323-100	Gray, 15" x 18", 100/case
365324-001	Gray, dimpled, 30" x 150', 1 roll/case, perforated every 18"



Quick absorbency. Large liquid holding capacity. Long product life. Great for fast cleanup. Absorbs oil, coolants, solvents and water.



Matting*

Part Number	Sales Unit
365320-001	36" x 150' roll; 1 roll/case

Use as a maintenance rug. Keep liquid from damaging floors. Absorbs non-aggressive liquids. Non-perforated.



Drum Top Covers*

Part Number	Sales Unit
365325-025	Gray, 25/case

Absorb excess liquids on top of 55 gallon drum.



Adhesive Mat*

Part Number	Sales Unit
365329-050	Gray, 34" x 50', 1 roll/case
365329-100	Gray, 34" x 100', 1 roll/case

SureGrip™ adhesive absorbent mat. Highly absorbent, soaks moisture and wicks it away to prevent puddling, fast drying, easy to clean. Adhesive-backed, stays put - no shifting, bunching, or flipping over. Durable Needle

Punch manufacturing - withstands forklift traffic. Cut to length, peels up easily for replacement. Fire retardant as per ASTM 726.



Socks*

Part Number	Sales Unit
365326-040	Gray, 42" x 3", 40/case

Flexible to fit around machinery and excellent for containing spills. Absorbs oil, coolants, solvents and water.



Response Kits*

Part Number	Sales Unit
365327-001	1 kit

Packed in a zippered, clear vinyl bag. Labeled with an easy to read yellow safety tag. Oil specific. Includes 20 pads, 2 socks, 2 cleanup bags.



Pads*

Part Number	Sales Unit
365328-100	Gray, 15" x 18", 100/case

Fastest absorbing. Superior liquid holding capacity. Longest product life. Absorbs oil, coolants, solvents and water.

*Available only to customers in USA

Battery Spill Kit

Part Number - 300035*

Note: Instructional label inside lid.

▲ Individual Items

Part Number	Description	Quantity
300042	Face shield	1
300041	Head gear	1
300049	32 oz acid neutralizer (per bottle)	2 bottles
300043	Acid spill absorbent cleanup pads	10
300047	Yellow heavy-duty chemical disposal bag; 33" x 39"	1
300048	Mini broom	1
300051	16 oz eye wash flush*	1 bottle
300044	Green acid resistant glove, nitrile	1 pair
300045	Acid-resistant sleeve	1 pair
300050	Acid-resistant rubber overboot	1 pair
300046	Acid-resistant apron	1
300035-001	Bucket	1

*Three-year shelf life.

Note: Individual part numbers sold by piece or pair.



First Aid Kits

Class A Polywhite First Aid Kit*

Part Number

365291

- Designed for common workplace injuries such as major and minor wounds, minor burns and eye injuries
- Kit meets Z308.1-2015 minimum fill requirements for Class A Type I, II, III or IV
- Color coded and unitized for ease of refills
- Made from heavy duty plastic to withstand tough work environments
- Portable or mountable
- Kit will continue to remain compliant only when it is maintained with products that meet the standard at specific quantities



ProWorks® First Aid Kit*

Part Number

365290-010

- For groups of 10
- Should be in clear view of workers in case of accidents
- Kit includes: Bandages, gauze, adhesive tape, antiseptic, cold pack, scissors, soothing sting swabs, burn cream packets, and cut cleaner



Class B Metal First Aid Kit*

Part Number

365292

- Designed for high risk work zones such as construction, utilities, industrial and manufacturing
- Kit meets Z308.1-2015 minimum fill requirements for Class B Type I, II, III or IV
- Suggested for any work zone where personal protective equipment is required
- Color coded and unitized for ease of refills
- Made from heavy duty metal to withstand tough work environments
- Portable or mountable
- Kit will continue to remain compliant only when it is maintained with products that meet the standard at specific quantities



First Aid Kit

Part Number

365293

- Contains: (1) Emergency First Aid Pocket Guide, (1) 1/2"x5yd. Tape, (1) Eye Wash 4oz., (1) Elastic Gauze 2"x4.5yd., (1) Disposable Forcep, (1) Wound Seal, (2 pr.) Nitrile Gloves, (1) 3-1 Antibiotic Ointment, (1) Waterjel Burn Pack, (1) Ice Pack Small, (1) 40" Triangular Bandage, (1) 4" Compress Bandage, (10) Fingertip Bandages, (10) Knuckle Bandages, (16) Plastic 1"x3" Bandages, (1) 2oz. Antiseptic Spray, (10) Clean Wipes, (4) 3"x3" Gauze Pads, (1) Metal Kit Box.
- Meets ANSI standard for workplace vehicle kits under ANSI Z308.1-2015.
- Dimensions: 9.5" Wide x 7" Tall x 2.5" Deep.



*Available only to customers in USA